

AMENDMENTS TO THE CLAIMS

The following listing of claims is provided in accordance with 37 C.F.R. § 1.121.

1. (Currently Amended) A system, comprising:
a processor;
a memory;
a materialized view stored on the memory, the materialized view being that is
derived at least in part from a table;
a logging mechanism stored on the memory, the logging mechanism that configured
to maintain maintains a refresh log, the refresh log containing a first range
and a second range that at least partially overlap, the first range and the
second range each having a timestamp associated therewith, wherein the
time stamp associated with each of the first range and second range
respectively indicates when an operation corresponding to the first range and
the second range occurred to the table; and
a refresh manager stored on the memory, the refresh manager that configured to
resolve resolves conflicts between the first range and the second range that at
least partially overlap by selecting portions of the first range and the second
range that have the more recent timestamp and applying the selected portions
of the first range and the second range to the materialized view.
2. (Original) The system set forth in claim 1, wherein the refresh log
comprises a plurality of entries, each of the entries comprising an epoch identifier.
3. (Original) The system set forth in claim 2, wherein the epoch identifier
is defined to correspond to changes that have been made to the table since a previous refresh
operation on the materialized view.

4. (Original) The system set forth in claim 1, wherein a plurality of materialized views are derived at least in part from the table.
5. (Currently Amended) A system, comprising:
a processor;
a memory;
a materialized view stored on the memory, the materialized view being that is
derived at least in part from a table;
a logging mechanism stored on the memory, the logging mechanism that configured
to maintain maintains a refresh log, the refresh log containing a range and a
single-row entry, the range and the single-row entry each having a timestamp
associated therewith, wherein the time stamp associated with the range
indicates when an operation corresponding to the range occurred to the table
and the time stamp associated with the single-row entry indicates when an
operation corresponding to the single-row entry occurred to the table; and
a refresh manager stored on the memory, the refresh manager that configured to
resolve resolves conflicts between the range and the single-row entry by
ignoring the single-row entry if the single-row entry is part of the range and
if the single-row entry has the more recent timestamp and by applying the
single-row entry to the materialized view if the single-row entry is not part of
the range or if the range has the more recent timestamp.
6. (Original) The system set forth in claim 5, wherein the refresh log
comprises a plurality of entries, each of the entries comprising an epoch identifier.
7. (Original) The system set forth in claim 6, wherein the epoch identifier
is defined to correspond to changes that have been made to the table since a previous refresh
operation on the materialized view.

8. (Original) The system set forth in claim 7, wherein the single-row record belongs to an epoch E, a latest screening range belongs to an epoch $E' < E$, and the refresh manager is adapted to ignore the single-row record for a materialized view that fulfils $MV.EPOCH[T] \leq E'$ and to apply the single-row record to a materialized view that fulfils $MV.EPOCH[T] > E'$.

9. (Original) The system set forth in claim 5, wherein a plurality of materialized views are derived at least in part from the table.

10. (Currently Amended) A method, comprising:
deriving a materialized view at least in part from a table;
storing a first range and a second range that at least partially overlap in a refresh log;
associating a timestamp with each of the first range and the second range in the refresh log such that the time stamp associated with the first range indicates when an operation corresponding to the first range occurred to the table and the time stamp associated with the second range indicates when an operation corresponding to the second range occurred to the table; and
resolving conflicts between the first range and the second range ~~in the portion that overlaps~~ by applying a portion of either the first range or the second range that has the more recent timestamp to the materialized view.

11. (Original) The method for performing conflict resolution set forth in claim 10, comprising creating a plurality of records in the refresh log and storing an epoch identifier in each of the records.

12. (Original) The method for performing conflict resolution set forth in claim 11, comprising defining the epoch identifier to correspond to changes that have been made to the table since a previous refresh operation on the table.

13. (Original) The method for performing conflict resolution set forth in claim 10, comprising deriving a plurality of materialized views at least in part from the table.

14. (Currently Amended) A method, comprising:
deriving a materialized view at least in part from a table;
storing a range and a single-row entry in a refresh log, the range and the single-row entry each having a timestamp associated therewith, wherein the time stamp associated with the range indicates when an operation corresponding to the range occurred to the table and the time stamp associated with the single-row entry indicates when an operation corresponding to the single-row entry occurred to the table;
ignoring the single-row entry if the single-row entry is part of the range and if the single-row entry has the more recent timestamp; and
applying the single-row entry to the materialized view if the single-row entry is not part of the range or if the range has the more recent timestamp.

15. (Original) The method set forth in claim 14, comprising storing a plurality of entries in the refresh log, each of the plurality of entries comprising an epoch identifier.

16. (Original) The method set forth in claim 15, comprising defining the epoch identifier to correspond to changes that have been made to the table since a previous refresh operation on the materialized view.

17. (Original) The method set forth in claim 16, wherein the single-row record belongs to an epoch E, a latest screening range belongs to an epoch $E' < E$, the method comprising:

ignoring the single-row record for a materialized view that fulfils

$MV.EPOCH[T] \leq E'$; and

applying the single-row record to a materialized view that fulfils

$MV.EPOCH[T] > E'$.

18. (Original) The method set forth in claim 14, comprising deriving a plurality of materialized views at least in part from the table.

19. (Currently Amended) A computer program, comprising:

a machine readable medium;

a logging mechanism stored on the machine readable medium, the logging

mechanism being adapted to create a refresh log that contains ~~contains~~ a

first range and a second range that at least partially overlap, the first range

and the second range each having a timestamp associated therewith, wherein

the time stamp associated with each of the first range and second range

respectively indicates when an operation corresponding to the first range and

the second range occurred to the table; and

a refresh manager stored on the machine readable medium, the refresh manager

being adapted to resolve conflicts between the first range and the second

range that at least partially overlap by selecting portions of the first range and

the second range that have the more recent timestamp and applying the

selected portions of the first range and the second range to the materialized

view.

20. (Original) The computer program set forth in claim 19, wherein the refresh log comprises a plurality of entries, each of the entries comprising an epoch identifier.

21. (Original) The computer program set forth in claim 20, wherein the epoch identifier is defined to correspond to changes that have been made to the table since a previous refresh operation on any materialized view that is derived at least in part from the table.